



Welcome to download the Newest CertificationsTime 300-365 dumps

<https://certificationstime.com/updated/300-365-exam-dumps-pdf/>

Exam Questions 300-365

WIDEPLOY Deploying Cisco Wireless Enterprise Networks

<https://certificationstime.com/>

**Questions & Answers
PDF**

- Latest Exam Questions
- Verified Answers
- 99% Success Rate
- Free 90 Days Update
- Instant Access

 PDF

 **CERTIFICATIONSTIME**



NEW QUESTION 1

Which of the following is not a Cisco RF fingerprinting key advantage over Location Tracking?

- A. Uses existing LWAPP-enabled Cisco Unified Networking components.
- B. Proprietary client hardware or software is required.
- C. Better accuracy and precision.
- D. Reduced calibration effort

Answer: B

NEW QUESTION 2

A customer has implemented several WLANs in an auditorium utilizing a newly dedicated WLC and is experiencing excessive channel utilization regardless of occupancy. Which action reduces channel utilization without removing SSIDs?

- A. Disable MCS data rates 0 through 11.
- B. Disable MCS data rates used by 40 MHz channels.
- C. Disable data rates that use CCK.
- D. Disable VHT data rate

Answer: C

NEW QUESTION 3

After a wireless deployment, users report that wireless voice clients are experiencing an unacceptable amount of delay while roaming during a call on the Cisco Unified 7925 Series phones. The customer environment consists of multiple controllers, all running 7.4.121.0 code, operating in a centralized deployment. What configuration issue is most likely contributing to the problem?

- A. The authentication should be set to WPA2-PSK to allow for 802.11n speeds for the Cisco Unified 7925 phones.
- B. The access points on that floor are all on one controller and should be load balanced evenly across multiple controllers.
- C. The access points for that floor are salt and peppered across multiple controllers and should be moved to the primary controller.



D. The wireless phones are operating in the 2.4 GHz band and should be configured for the 5 GHz band.

Answer: C

NEW QUESTION 4

An engineer wants to configure Call Admission Control and ensure that AC is based on the capacity of the AP and considering the possible impact of other APs in the area.

- A. Which two configuration options are required? (Choose two.)
- B. StaticCAC
- C. Admission Control
- D. Load-Based AC
- E. Add Traffic Stream
- F. Reserved Roaming Bandwidth
- G. Expedited Bandwidth

Answer: BC

NEW QUESTION 5

An engineer must deploy FlexConnect APs to a site that typically has 300 ms latency to the WLC. Which typical operating mode must the engineer plan on for normal operations?

- A. local authentication, local switching
- B. central authentication, central switching
- C. central authentication, local switching
- D. connected mode

Answer: A

NEW QUESTION 6

A FlexConnect remote office deployment is using five 2702i APs indoors and two 1532i APs outdoors. When a code upgrade is performed and FlexConnect Smart AP Image Upgrade is leveraged, but no FlexConnect Master AP has been configured. How many image transfers between the WLC and APs will occur?



- A. 7
- B. 1
- C. 5
- D. 2

Answer: D

NEW QUESTION 7

Which two methods to discover a controller does a MAP attempt when it boots up? (Choose two.)

- A. If Ethernet and wireless are available, it attempts to discover only via Ethernet.
- B. If Ethernet is disconnected, it attempts to connect wirelessly using AWPP.
- C. If only wireless is available and it is configured as a MAP, it does not attempt to connect to a WLC.
- D. If Ethernet and wireless are available, it uses Ethernet first.
- E. If it cannot connect via Ethernet, then it chooses wireless.
- F. If Ethernet is disconnected, it attempts to connect wirelessly using the configured DHCP option.

Answer: AB

NEW QUESTION 8

After implementing mDNS gateway, a school's network administrator notices that mDNS wireless printers are available over the whole network. Which feature can the admin use to restrict the printer mDNS advertisements to the AP that the printer is joined to and adjacent APs?

- A. mDNS-AP
- B. SSO
- C. LSS
- D. Priority MAC

Answer: A

NEW QUESTION 9

What are two functions of the RAP in a mesh network? (Choose two.)



- A. It provides a wired connection for the wireless mesh APs.
- B. It adds capacity and resilience to a mesh area.
- C. it creates a centralized management location for the mesh network.
- D. it reduces the hop count to the wireless network that is connected to the edge.
- E. it routes traffic from the wireless mesh to the wired network

Answer: BD

NEW QUESTION 10

Which statement about when you configure FlexConnect APs and you want to set up Cisco Centralized Key Management fast roaming is true?

- A. FlexConnect groups are required for Cisco Centralized Key Management fast roaming to work with FlexConnect access points.
- B. APs that are in the same FlexConnect group but associated to different WLCs support Cisco Centralized Key Management.
- C. Cisco Centralized Key Management fast roaming among FlexConnect and non-FlexConnect access points is supported.
- D. The FlexConnect access point must be in standalone mode to support Cisco Centralized Key Management.

Answer: A

For the Full Access Visit:

<https://certificationstime.com/updated/300-365-exam-dumps-pdf/>