



Welcome to download the Newest CertificationsTime 98-375 dumps

<https://certificationstime.com/updated/98-375-exam-dumps-pdf/>

## Exam Dumps 98-375

# HTML5 Application Development Fundamentals

<https://certificationstime.com/>

**MONEY BACK  
100%  
GUARANTEED**

 **Questions & Answers  
PDF**

- Latest Exam Questions
- Verified Answers
- 99% Success Rate
- Free 90 Days Update
- Instant Access

 **CERTIFICATIONSTIME**



### NEW QUESTION 1

Which CSS position value is used to position an element relative to the browser window?

- A. position: relative;
- B. position: absolute;
- C. position: static;
- D. position: fixed;

Answer: D

### NEW QUESTION 2

DRAG DROP

Match the JavaScript code fragments with the HTML5 local storage functions. (To answer, drag the appropriate code fragment from the column on the left to its local storage function on the right. Each code fragment may be used once, more than once, or not at all. Each correct match is worth one point.)

Answer:

### NEW QUESTION 3

Your HTML5 code includes this code segment:

Which JavaScript code fragment will determine that a visitor has selected the "Chocolate" radio button?

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: A

### NEW QUESTION 4

Which CSS property defines which sides of an element where other floating elements are not allowed?

- A. float
- B. position
- C. display
- D. clear

Answer: D

### NEW QUESTION 5



DRAG DROP

Match the CSS terms to the corresponding examples. (To answer, drag the appropriate term from the column on the left to its example on the right. Each term may be used once, more than once, or not at all. Each correct match is worth one point.)

Answer:

### NEW QUESTION 6

Which two CSS properties can be used to position multiple HTML elements next to one another? (Choose two.)

- A. display
- B. position
- C. overflow
- D. float

Answer: B,D

Explanation: CSS position Property

The position property specifies the type of positioning method used for an element (static, relative, absolute or fixed).

CSS float Property

The float property specifies whether or not a box (an element) should float.

### NEW QUESTION 7

What is the default value of the CSS position property?

- A. fixed
- B. absolute
- C. static
- D. relative

Answer: C

### NEW QUESTION 8

DRAG DROP

Match the HTML5 technologies to the corresponding descriptions. (To answer, drag the appropriate technology from the column on the left to its description on the right. Each technology may be used once, more than once, or not at all. Each correct match is worth one point.)



Answer:

### NEW QUESTION 9

You write the following JavaScript code. (Line numbers are included for reference only.)

You need to write a function that will initialize and encapsulate the member variable full name.

Which are two possible code fragments you could insert at line 02 to achieve this goal? (Each correct answer presents a complete solution. Choose two.)

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: B,D

#### Explanation:

Note:

\* In JavaScript this always refers to the “owner” of the function we're executing, or rather, to the object that a function is a method of.

\* If you assign a value to variable that has not yet been declared, the variable will automatically be declared as a GLOBAL variable.

This statement:

```
carname="Volvo";
```

Will declare the variable carname as a global variable , even if it is executed inside a function.

### NEW QUESTION 10

You need to use JavaScript to access the "section1" element in the following code fragment:

```
<div id='section1'>
```

Which method should you use?

- A. `getElementsByTagName`
- B. `getElementById`
- C. `getElementsByName`
- D. `getElementsByClassName`



Welcome to download the Newest CertificationsTime 98-375 dumps

<https://certificationstime.com/updated/98-375-exam-dumps-pdf/>

**For the Full Access Visit:**

<https://certificationstime.com/updated/98-375-exam-dumps-pdf/>