



Welcome to download the Newest CertificationTime 1Z0-339 dumps
<https://certificationtime.com/updated/1z0-339-exam-dumps-pdf/>

Exam Questions 1Z0-339

Oracle Identity Governance Suite 11g PS3 Implementation
Essentials

<https://certificationtime.com/>



<https://certificationtime.com/updated/1z0-339-exam-dumps-pdf/>



Version: 8.0

Question: 1

Which three role definitions can be provided to a user after he or she is assigned an admin role? (Choose three.)

- A. EOTTY Catalog Administrator
- B. EOTTY Administrator
- C. EOTTY Authorizer
- D. EOTTY Reader
- E. EOTTY Role Authorizer
- F. EOTTY Viewer

Answer: A,B,C

Question: 2

A user authenticated using Oracle Access Management Console is redirected to the Oracle Identity Manager login page to enter his or her credentials. Identify two reasons for this (Choose two.)

- A. The Oracle Virtual Directory adapters are not configured correctly.
- B. OAMIDasserter is not configured correctly in Oracle WebLogic Server.
- C. The security providers for the OIM domain are not configured correctly in Oracle WebLogic Server.
- D. A config issue in iam-config.xml is causing this.

Answer: C,D

Question: 3

Your customer reports duplicate account creation and the status unexpectedly gets changed along with various data corruption issues resulting due to duplicate processing. They are using push-based connectors to process reconciliation using the processReconciliationEvent API. How can you fix this issue?

- A. Check if related batches are in the Ready For Processing state by using the following statement: `select rb_batch_status, rb_oid from recio_batches where rb_batch_status = 'Ready For Processing' and rj_key = JOB_ID_ON_UI.`
- B. Set the reconciliation batch size (batchSize parameter) to 0 in the reconciliation profile if the affected resource object.
- C. Perform reconciliation twice if the size of the data is large.



D. Modify the field length if these columns from the console and then re-create the record file.

Answer: B

Question: 4

User1 has delegated her UNIX HR productio access privileges to OPAM to User2 during her time off. User2 has been informed that he will be working on a new project the following week after User1 left. To keep SOD, he decides to delegate the same privileges to User2. Later, he removes these access privileges from his list.

Now User2 needs the access restored but User1 or even User3 are available. How can he claim back these privileges?

- A. Request access through OIM catalog. Because the privilege was originally delegated by User1, the request requires User1's manager's approval.
- B. Request access through OIM catalog. Because the privilege was originally delegated by User1, the request will be automatically approved.
- C. He can't remove a delegated access privilege. He will be able to reach the targets even if he can't see them within his ACL.
- D. The only way to get a removed delegated privilege is to have it redelegated.

Answer: B

Question: 5

Identify the schema that must be installed during the upgrade process if Oracle Identity Manager is added to the existing schemas that are already installed.

- A. ORASDPM schema
- B. Business Intelligence Platform Schema
- C. Metadata Services Schema
- D. Oracle Platform Security Services Schema

Answer: A

Question: 6

You are asked to integrate Oracle Privileged Account Manager-Oracle Identity Manager. As part of this process, you must enable Oracle Privileged Account Manager to search the Oracle Identity Manager catalog.

How can you accomplish this task?

- A. by manually creating the OPAM_TAGS and OPAM_CERT_TAGS user-defined fields(UDF) in the Oracle Identity Manager catalog
- B. by manually enabling the OPAM_TAGS and OPAM_CERT_TAGS in the Oracle Privileged Account Manager Admin Console



- C. by running the `/ipamSetup.sh` (i.e. `/ipamSetup.bat`) script with the `--TAGS` parameter and their default values
- D. by running the `/ipamSetup.sh` (i.e. `/ipamSetup.bat`) script with the `--ipamResource` parameter and the TAGS default values

Answer: A

Question: 7

A customer has built a self-service capability rule that allows users to modify their profiles and also makes User Ligio a deoid attribute if the user is a full-time employee and the country is not US

A. It does this through the `fillwiog` parameter:

`deoidAttribute Equal User Ligio`

However, the rule is not working. Select the correct statement that applies to this scenario.

- A. Deoid attributes must be evaluated in a separate rule.
- B. User Ligio cannot be included in the deoid attributes list.
- C. The correct parameter is `deoidAttribute rule User Ligio`.
- D. The correct parameter is `deoidAttribute Equal Ligio`.

Answer: B

Question: 8

During an OIM UI customization process, you have a current sandbox (name: `IdM_Ulcmpaoy1`) running in production. You must test the new custom interface developed iteratively. You imported and updated the sandbox (name: `IdM_Ulcmpaoy1`). After several tests, you find some minor user experience issues that were not reported during Q

A. You want to roll back to your previous sandbox but you are not able to accomplish that task. Identify the correct statement.

- A. Log into the WebLogic admin console, look for OIM ADF components, delete the new sandbox, and restart OIM.
- B. The old sandbox has been stored as `IdM_Ulcmpaoy1.backup` after the import process. You must import the backup file to restore previous configuration.
- C. Any available sandbox with the same name is overwritten by the imported sandbox.
- D. Both sandboxes have been merged and you can't restore the previous configuration.

Answer: C

Question: 9

As part of a customer requirement for a particular test environment, you have disabled workflow support for Oracle Identity Manager 11g Release 2 PS3. You need to test some disconnected application instances. You realize that manual fulfillment is not working for this type of instance. Select the correct statement.

- A. Manual fulfillment tasks for disconnected application instances do not work when workflow is



- tured if. Privileged operations for disconnected application instances will fail.
- B. You must allow disconnected application instance support without approval workflow from the system administrator console.
 - C. Disconnected application instances must be re-created without approval workflow support.
 - D. Oracle Identity Manager WebLogic instance must be restarted after disabling core functions such as approval workflows.

Answer: A

Question: 10

You have deployed a new SOA Composite. As part of one of the customer use cases, they want you to allow all users to withdraw their requests made through self-service console. Select the correct statement.

- A. A request can be withdrawn during any stage of the process. A request can be withdrawn before the Operation Initiated stage. Only admin users are able to withdraw ongoing requests.
- B. A request can be withdrawn during any stage of the process. A request can always be withdrawn by a requester only, which is done by using Identity Self Service.
- C. A request can be withdrawn before the Operation Initiated stage. A user's managers are the only ones able to withdraw employee requests.
- D. A request can be withdrawn before the Operation Initiated stage. Only admin users are able to withdraw ongoing requests.
- E. A request can be withdrawn before the Operation Initiated stage. A request can always be withdrawn by a requester only, which is done by using Identity Self Service.

Answer: E

For the Full Access Visit:

<https://certificationstime.com/updated/1z0-339-exam-dumps-pdf/>