



Welcome to download the Newest CertificationTime 5V0-33.19 dumps

<https://certificationtime.com/updated/5v0-33-19-exam-dumps-pdf/>

## Exam Questions 5V0-33.19

VMware Cloud on AWS - Master Services Competency Specialist

<https://certificationtime.com/>



<https://certificationtime.com/updated/5v0-33-19-exam-dumps-pdf/>



Welcome to download the Newest CertificationsTime 5V0-33.19 dumps

<https://certificationstime.com/updated/5v0-33-19-exam-dumps-pdf/>

### QUESTION 1

Which Native AWS construct are third-party ISV partners able to leverage for data archiving within the data-protection service?

- A. Athena
- B. Glacier
- C. Kinesis
- D. Cognito

Correct Answer: B

data-processing application on Amazon EC2 and uses Amazon S3 and Amazon S3 Glacier Reference:

<https://aws.amazon.com/solutions/case-studies/all/>

### QUESTION 2

Which two IP addresses are required for the HCX Interconnect appliances? (Choose two.)

- A. One IP from the LAN Management Network Pool
- B. One IP from the WAN Direct Connect 2 Network Pool
- C. One IP from the WAN Internet Network Pool
- D. One IP from the LAN vMotion Network Pool
- E. One IP from the WAN Direct Connect 1 Network Pool

Correct Answer: AC

### QUESTION 3

What are two primary differences between an Elastic IP address and a Public IP address assignment? (Choose two.)

- A. A Public IP address assignment is associated with an AWS account.
- B. A Public IP address assignment could manually be attached and detached from an instance.
- C. An Elastic IP address has a cost associated with it.
- D. An Elastic IP address assignment is associated with an AWS account.

<https://certificationstime.com/updated/5v0-33-19-exam-dumps-pdf/>



Welcome to download the Newest CertificationsTime 5V0-33.19 dumps

<https://certificationstime.com/updated/5v0-33-19-exam-dumps-pdf/>

E. An Elastic IP address assignment will be persistent during the Stop/Start process of an instance while a Public IP address would be dynamically reassigned.

Correct Answer: BD

It can be assigned to any network interface, which can be attached or detached from an instance.

An Elastic IP address is associated with your AWS account.

Reference: <http://jayendrapatil.com/aws-ec2-network/>

<https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/elastic-ip-addresses-eip.html>

#### QUESTION 4

What are the two primary deliverables of a Hybrid Cloud Readiness Assessment? (Choose two.)

- A. Gap Analysis Excel document
- B. Migration Plan Excel document
- C. Gap Analysis Word document
- D. Networking Topology Visio document
- E. On-boarding Process Word document

Correct Answer: AB

Reference: <https://www.bconn.nl/hybrid-cloud-readiness-assessment-white-paper/>

#### QUESTION 5

What are three key topics that should be covered in a Hybrid Cloud Readiness Assessment? (Choose three.)

- A. Design of critical application configurations.
- B. State of the current vSphere environment.
- C. Backup and recovery operations.
- D. Customer application licensing costs.
- E. Available bandwidth for connecting to a cloud provider.
- F. Port assignments for virtual switches.

Correct Answer: ADE

<https://certificationstime.com/updated/5v0-33-19-exam-dumps-pdf/>



Welcome to download the Newest CertificationsTime 5V0-33.19 dumps

<https://certificationstime.com/updated/5v0-33-19-exam-dumps-pdf/>

#### QUESTION 6

Which information is required for VMware Site Recovery when pairing from a protected site?

- A. Address of the VMware Cloud on AWS console
- B. FQDN of the vCenter Server at the recovery site
- C. Name of the placeholder datastore at the recovery site
- D. Name of the resource cluster at the recovery site

Correct Answer: A

Reference: [https://docs.vmware.com/en/VMware-SiteRecovery/services/com.vmware.srmaas.install\\_config.doc/GUID-4A183332-0D99-474F-AD11-F4E2ACECE4CE.html](https://docs.vmware.com/en/VMware-SiteRecovery/services/com.vmware.srmaas.install_config.doc/GUID-4A183332-0D99-474F-AD11-F4E2ACECE4CE.html)

#### QUESTION 7

Which virtual machine properties are supported for HCX vMotion migrations?

- A. Attached ISO images
- B. Passthrough devices
- C. VMDKs less than 2TB
- D. Physical RDMs

Correct Answer: A

Attached virtual media or ISOs.

Reference: <https://docs.vmware.com/en/VMware-HCX/services/hcx-user-guide.pdf>

#### QUESTION 8

A site pairing was manually broken.

Which step must be used to re-establish the pairing?

- A. Create a new mapping
- B. Configure a new site pair
- C. Reconfigure the site pair
- D. Refresh the site pair

<https://certificationstime.com/updated/5v0-33-19-exam-dumps-pdf/>



Welcome to download the Newest CertificationsTime 5V0-33.19 dumps

<https://certificationstime.com/updated/5v0-33-19-exam-dumps-pdf/>

Correct Answer: B

You cannot use the Reconfigure Site Pair action to add a missing pairing or a pairing that was manually broken with Break Site Pair. If your site pair is missing a pairing, you must use New Site Pair to configure it. Reference: [https://docs.vmware.com/en/Site-RecoveryManager/8.1/com.vmware.srm.install\\_config.doc/GUID-7C839753-BD05-4336-A4B3-ECA556BC0D94.html](https://docs.vmware.com/en/Site-RecoveryManager/8.1/com.vmware.srm.install_config.doc/GUID-7C839753-BD05-4336-A4B3-ECA556BC0D94.html)

#### QUESTION 9

What is the minimum Recovery Point Objective (RPO) supported by VMware Cloud on AWS DRaaS?

- A. A workload with a 15 minute RPO
- B. A workload with a three minute RPO
- C. A workload with a 30 second RPO
- D. A workload with a five minute RPO

Correct Answer: D

Reference: <https://www.storagereview.com/news/datrium-offers-draas-with-vmware-cloud-on-aws>

#### QUESTION 10

What is a limitation of using VMware Site Recovery on AWS in a multi-site topology?

- A. For each remote site, one instance of Site Recovery Manager Server must be deployed at the remote site and paired with the same instance of VMware Site Recovery.
- B. Site Recovery only supports a point-to-point replication. Site Recovery does not support replication to multiple targets.
- C. A single VMware Cloud on AWS SDDC could support a maximum of five paired remote sites.
- D. The Site Recovery plug-in identifier or custom extension ID specified on the remote site must not match the custom extension ID of the paired VMware Site Recovery instance.

Correct Answer: A

Reference: [https://docs.vmware.com/en/VMware-SiteRecovery/services/com.vmware.srmaas.install\\_config.doc/GUID-51B8D60F-52DE-4D98-BA8D-6DE6E88F0257.html](https://docs.vmware.com/en/VMware-SiteRecovery/services/com.vmware.srmaas.install_config.doc/GUID-51B8D60F-52DE-4D98-BA8D-6DE6E88F0257.html)

**Full access:**

<https://certificationstime.com/updated/5v0-33-19-exam-dumps-pdf/>

<https://certificationstime.com/updated/5v0-33-19-exam-dumps-pdf/>