

Oracle
1Z0-052
Oracle Database 11g: Administration
Workshop I



QUESTION & ANSWERS

Oracle

Exam 1z0-052

Oracle Database 11g: Administration I

Version: Demo

[Total Questions: 10]

Question No : 1

Which two are true about the Data Recovery Advisor? (Choose two.)

- A. It can be used when a database IS MOUNTED
- B. It can be used when a database IS OPEN
- C. It can be used only with databases that are running in ARCHIVELOG mode
- D. It can repair only databases for which RMAN backups exist
- E. It can be used to take RMAN backups
- F. It can be used to validate RMAN backups

Answer: D,F

Explanation: References:

Question No : 2

Which two statements are true about tablespaces? (Choose two.)

- A. A database instance stores undo data in the SYSTEM tablespace if no undo tablespace exists
- B. A database instance hangs if the SYSAUX tablespace becomes unavailable
- C. A database with a locally managed SYSTEM tablespace can have dictionary-managed user tablespaces
- D. A database can contain multiple undo tablespaces
- E. A database can contain only a single temporary tablespace

Answer: A,D

Question No : 3

Which two are true about consistent database backups? (Choose two.)

- A. They can only be taken if the database is in ARCHIVELOG mode.
- B. They can only be taken by using RMAN command.
- C. They can only be taken when a RECOVERY CATALOG is used.
- D. They can only be taken by using RMAIN when the database is in MOUNT state.

E. They can only be taken if a NORMAL, TRANSACTIONAL, OR IMMEDIATE shutdown has been performed and the backup is taken before the database is reopened.

Answer: D,E

Explanation: References:

Question No : 4

Which two are true about roles? (Choose two.)

- A. A secure application role can be set only by its associated PL/SQL package.
- B. A role can be granted a combination of system and object privileges and other roles.
- C. Roles are owned by SYSTEM.
- D. The CONNECT role is granted automatically to a user when it is created.
- E. The RESOURCE role is granted the CREATE SESSION privilege.

Answer: A,B

Explanation: References:

Question No : 5

You created a profile APP_USER and assigned it to the users. After a month, you decide to drop the profile.

Some user sessions are currently connected to the database instance and are using the APP_USER profile.

This command is used to drop the profile:

```
SQL> DROP PROFILE app_user;
```

Which statement describes the result?

- A. The command produces an error.
- B. The profile is dropped and current user sessions use the DEFAULT profile immediately.

C. The profile is dropped, the sessions are terminated, and the subsequent user sessions use the DEFAULT profile.

Answer: A

Question No : 6

Your database instance is in the open state with uncommitted transactions.

You plan to execute these commands:

```
SHUTDOWN ABORT
STARTUP
```

Which is true about the STARTUP command?

- A. It performs an instance recovery before opening the database in read/write mode
- B. It performs an instance recovery and leaves the database instance in mount state
- C. It opens the database in read-only mode
- D. It opens the database in read/write mode only if an spfile is used

Answer: C

Question No : 7

Which is true about the Database Configuration Assistant (DBCA)?

- A. It can register a database with Cloud Control and configure Database Control for the same database.
- B. It can change the server mode from dedicated to shared and vice versa for an existing database.
- C. It can use Oracle ASM for storing database files only if Oracle Managed Files (OMF) is configured.
- D. It can create new database templates only from existing templates or databases.

Answer: D

Explanation: References:

Question No : 8

Which three are true about UNDO data? (Choose three.)

- A. It is used during online backups to guarantee their consistency
- B. It is used to roll back failed transactions
- C. It is used to recover dropped tables by using FLASHBACK TABLE ... TO BEFORE DROP
- D. It is used to rewind a database by using FLASHBACK DATABASE
- E. It is used to provide read consistency
- F. It is used to enable ROLLBACK statements to roll back uncommitted updates

Answer: D,E,F

Explanation: References:

Question No : 9

Which two are true about AWR snapshots? (Choose two.)

- A. They are always created automatically.
- B. They can be modified by using DMLs.
- C. They are not generated if STATISTICS_LEVEL is set to TYPICAL.
- D. They are stored in the SYSAUX tablespace.
- E. They can be retained forever.

Answer: A,B

Question No : 10

Your database is configured in archivelog mode.

The USERS01 tablespace is currently online.

You are required to take the tablespace offline.

Which clause or clauses ensure that no media recovery is required when the tablespace is brought back online?

- A. either the NORMAL or the IMMEDIATE clause
- B. only the IMMEDIATE clause
- C. either the NORMAL or the TEMPORARY clause
- D. only the TEMPORARY clause
- E. only the NORMAL clause

Answer: D

Explanation: References: