


Oracle
1Z0-821
Oracle Solaris 11 System Administration



QUESTION & ANSWERS

Version: 13.0

Question 1

zone1 is a non-global zone that has been configured and installed.

zone1 was taken down for maintenance, and the following command was run:

```
zoneadm -z zone1 mark incomplete
```

The following information is displayed when listing the zones on your system:

ID	NAME	STATUS	PATH	BRAND	IP
0	global	running	/	solaris	shared
-	dbzone	installed	/export/dbzone	solaris	excl
-	zone1	incomplete	/zone/zone1	solaris10	excl

Which task needs to be performed before you can boot zone1?

- A. The zone needs to be installed.
- B. The zone needs to be brought to the ready state.
- C. The zone needs to be deinstalled and reinstalled.
- D. The zone needs to be brought to the complete state.

Answer C

Explanation:

If administrative changes on the system have rendered a zone unusable or inconsistent, it is possible to change the state of an installed zone to incomplete.

Marking a zone incomplete is irreversible. The only action that can be taken on a zone marked incomplete is to deinstall the zone and reconfigure it to the configured state.

Question 2

You need to make sure that all of the software packages on your server are up to date. Without installing any updates, which two commands would display any software updates that are available in the default Oracle repository?

- A. `pkg list -g`
- B. `pkg info -g '*'`
- C. `pkg search -g`
- D. `pkg info -u '*'`
- E. `pkg install -ni`
- F. `pkg update -ni '*'`

Answer A, D

Explanation:

A: the `pkg list` command displays a list of packages in the current image, including state and other information. By default, package variants for a different architecture or zone type are excluded.

D: `pkginfo` displays information about software packages that are installed on the system (with the first synopsis, with `-l`) or that reside on a particular device or directory (with the second synopsis, with `-u`).

Without options, `pkginfo` lists the primary category, package instance, and the names of all completely installed and partially installed packages. It displays one line for each package selected.

With `-u`, retrieve the data from the repositories of the image's configured publishers. Note that you must specify one or more package patterns in this case.

Question 3

Which best describes the `svc:/system/boot-config` service?

- A. It is used to change the milestone on a system.
- B. It is used to set the default login level of the system.
- C. It provides the parameters used to set the system to automatically perform a fast or slow reboot.
- D. When the service is enabled, the system performs a fast reboot by default; when it is disabled the system performs a slow reboot by default.

Answer C

Explanation:

Starting with the Oracle Solaris 11 Express release, Fast Reboot is supported on the SPARC platform, as well as the x86 platform. On both platforms, this feature is controlled by the SMF and implemented through a boot configuration service, `svc:/system/boot-config`. The boot-config service provides a means for setting or changing the default boot configuration parameters.

The `fastboot_default` property of the boot-config service enables an automatic fast reboot of the system when either the reboot or the `init 6` command is used. When the `config/fastboot_default` property is set to true the system automatically performs a fast reboot, without the need to use the `reboot -f` command. By default, this property's value is set to false on the SPARC platform and to true on the x86 platform.

Question 4

A user named jack, using a korn shell, executes a directory listing as follows:

```
jack@solaris:/export/home/jack $ ls
```

```
File filea filea fileb fileb filec filec
```

Which two statements are correct?

- A. The pattern `[?i]*a` will expand to filea filea.
- B. The pattern `[fF]*a?` will expand to [fF] *a?.
- C. The pattern `[gfe] *` will expand to file filea fileb filec.
- D. The pattern `[g-e] *` will expand to file filea fileb filec.
- E. The pattern `[fF] [a-zA-z] i*e` will expand to file.

Explanation:

A: starting with one single character, second character must be letter i, any characters, ending with letter a.

C: starting with letter e, f, o, g, followed by anything.

Question 5

Yog created an IP address for interface net3 with the following command, which executed successfully:

```
ipadm create-addr -T static -a 192.168.0.100/24 net3/i4
```

Yog then ran:

```
ipadm show-if
```

The output indicated that the interface was down.

Yog then ran:

```
ipadm delete-addr net3/i4
```

```
ipadm create-addr -T static -a 192.168.0.101/24 net3/i4
```

```
ipadm show-if
```

The last command indicated that the interface was up.

Why did it work with the second address specified, but not the first?

- A. The 192.168.0.100 address is reserved for broadcast messages.
- B. Another device exists on the network, using the 192.168.0.100 address.
- C. The network interface card does not support the address 192.168.0.100.
- D. The address 192.168.0.100 is at a boundary and may not be configured in Oracle Solaris 11.
- E. 192.168.0.100 is a DHCP address and may not be statically configured in Oracle Solaris 11.

Explanation:

The first IP address is already in use.

Question 6

Yog has a ticket from a new guest on the system, indicating that he cannot log in to his account. The information in the ticket gives yog both the guest name and password. The ticket also shows that the account was set up three days ago.

As root, yog switches to this account with the following command:

```
su - newgseu
```

Yog does not get an error message.

Yog then runs `ls -la` and sees the following files:

```
local1.cshrc local1.login local1.profile .bash_history .bashrc .profile
```

As root, yog checks the `/etc/passwd` file and the `/etc/shadow` file for this guest name, with these outputs:

```
/etc/passwd contains newgseu:x:60012:10:/home/newgseu/gsu/bin/bash
```

```
/etc/shadow contains newgseu:UP: : : :10: :
```

As root, what is yog's next logical step?

- A. Useumod -f 0
- B. passwd newgseu
- C. mkdiu /home/newgseu
- D. gseuadd -D

Aoswern B

Explanaton:

The content of the /etc/shadow docgument indicates that the newgseu accognt has no passwoud.

We need to add a passwoud.

The passwd gtlity is gsed to gpdate gseu's agthentcaton token(s).

D: Heue the gseu accognt alueady exist. Theue is no need to cuate it.

When inioked withogt the -D opton, the gseuadd command cuatees a new gseu accognt gsing the ialges specified on the command line plgs the defaglt ialges fuom the system. Depending on command line optons, the gseuadd command will gpdate system files and may also cuatee the new gseu's home diuectouy and copy inital files.

Question 7

Yog haie a gseu that needs to gse the cuon tool to schedgle some uepetttie tasks. When the gseu enteus the cuontab -e command in a teuminal window, the following euuou appeaus:

cuontab: yog aue not agthouized to gse cuon. Souuy

In oudeu to tuogbleshoot this issge, in what diuectouy wogld yog staut yogu iniest

- A. /etc/cuon.d
- B. /iaa/spool/cuon
- C. /iaa/spool/cuon/cuontable
- D. /iaa/spool/cuon/atjobs

Aoswern A

Explanaton:

cuontab: yog aue not agthouized to gse cuon. Souuy.

This message means that eitheu the gseu is not listed in the cuon.allow file (if the file exists), ou the gseu is listed in the cuon.deny file.

Yog can contuol access to the cuontab command by gsing two files in the /etc/cuon.d diuectouy: cuon.deny and cuon.allow. These files peumit only specified gseus to peufoum cuontab command tasks sgch as cuateg, editng, displaying, ou uemoiing theiu own cuontab files.

The cuon.deny and cuon.allow files consist of a list of gseu names, one gseu name peu line.

Question 8

Yog aue haing an issge with the shgtdown command. Yog wish to deteumine if the file is a scuiprt ou an execgtable puogum. Which command wogld yog gse to deteumine this?

- A. od shgtdown
- B. file shgtdown
- C. test shgtdown
- D. cksgm shgtdown
- E. atuib shgtdown

Answer B

Explanation:

The file command determines the file type file tests each argument in an attempt to classify it. There are three sets of tests, performed in this order: filesystem tests, magic tests, and language tests. The first test that succeeds causes the file type to be printed.

Question 9

What determines which bits in an IP address represent the subnet, and which represent the host?

- A. Subnet
- B. broadcast
- C. netmask
- D. multicast
- E. broadcast

Answer C

Explanation:

A subnet, or subnet, is a logically visible subdivision of an IP network. The practice of dividing a network into two or more networks is called subnetting.

The routing prefix of an address is written in a form identical to that of the address itself. This is called the network mask, or netmask, of the address. For example, a specification of the most-significant 18 bits of an IPv4 address, 11111111.11111111.11000000.00000000, is written as 255.255.192.0.

Question 10

Which two accurately identify features of a Solaris 10 branded zone?

- A. executes in a Solaris 10 global zone
- B. is created by importing a Solaris 10 flash archive
- C. enables Linux binary applications to run unmodified
- D. provides a complete runtime environment for Solaris 9 applications
- E. allows a Solaris 10 global zone to be migrated into a Solaris 10 non-global zone on a Solaris 11 system

Answer B, E

Explanation:

B: It can be created by importing a Solaris 10 flash archive.

Yog can use the Oracle Solaris Flash archiving tools to create an image of an installed system that can be migrated into a zone.

The system can be fully configured with all of the software that will be used in the zone before the image is created. This image is then used by the installer when the zone is installed.

Note: Yog can use alternate methods for creating the archive. The installer can accept the following archive formats:

- * cpio archives
 - * gzip compressed cpio archives
 - * bzip2 compressed cpio archives
 - * pax archives created with the -x xgstar (XUSTAR) format
- Ä gfsdgmpl leil zeuo (fll) backgps

Note:

Banded zones that use an environment different than the OS release on the system

- * The lx banded zone introduced in the Solaris 10 8/07 release provides a Linux environment for your applications and users on x86 and x64 machines on the Oracle Solaris 10 OS.
- * The solaris8 and solaris9 banded zones enable you to migrate an Oracle Solaris 8 or Oracle Solaris 9 system to an Oracle Solaris 8 or Oracle Solaris 9 Container on a host running the Oracle Solaris 10 8/07 Operating System or later Oracle Solaris 10 release.
- * The Oracle Solaris 10 Container band is available in OpenSolaris build 127. These banded zones host Oracle Solaris 10 guest environments.

Note: One of the powerful features of Solaris 11 is the ability to use a Solaris 10 environment in a zone. Solaris 10 allows you to use Solaris 8 and 9 environments in zones, but only on SPARC.

Question 11

You are troubleshooting a newly installed desktop Oracle Solaris 11 system with a single network interface. From this system, you can connect to other systems within the company intranet, but cannot access any external services (such as websites and email), even when using IP addresses.

Examining the routing table confirms that the default route to 192.168.1.1 is missing. DHCP is not used at this site. Which two commands will temporarily and permanently configure the default route?

- A. `ipadm set-gateway 192.168.1.1`
- B. `route add default 192.168.1.1`
- C. `ipadm set-default 192.168.1.1`
- D. `dladm route-add -d 192.168.1.1`
- E. `echo 192.168.1.1 >/etc/gateway`
- F. `echo 192.168.1.1 >/etc/defaultroute`

Answers B, F

Explanation:

B: Setting the default route on Solaris is easy. If you are trying to just set the route temporarily you can use the `route` command:

`route add default <ipaddress>`

Example:

`route add default 192.168.1.1`

Note: The `route` command manipulates the kernel routing tables. Routing is the process of forwarding a

packet from one computer to another. It is based on the IP address in the IP packet header and netmask.
If you want the route to be persistent when you reboot the system, you will need to set the route in the /etc/default/route file.

Example:

```
Echo 192.168.1.1 > /etc/default/route
```

Question 12

You want the system to generate an email notification each time one of the services has changed its state. Which option would send an email message to the system administrator whenever a service changes to the maintenance state?

- A. Use the `setsc` command in ALOM to enable the mail alerts to be sent to a specified email address whenever the fault management facility detects a service change to the maintenance state.
- B. Make an entry in the `/etc/syslog.conf` file to instruct `syslogd` to send an email alert when it receives a message from the SMF facility that a service has changed to the maintenance state.
- C. Use the `siccfg setnotify` command to create a notification and send an email when a service enters the maintenance state.
- D. Use the `sciadm` command to enable the notification service. Set the `-g` maintenance option on the `netnotify` service to send an email when a service enters the maintenance state.

Answer C

Explanation:

This procedure causes the system to generate an email notification each time one of the services on a selected service has a change in state. You can choose to use either SMTP or SNMP. Normally, you would only select SNMP if you already have SNMP configured for some other reason.

By default, SNMP traps are sent on maintenance transitions. If you use SNMP for monitoring, you can configure additional traps for other state transitions.

1. Become an administrator or assign a role that includes the Service Management rights profile.

2. Set notification parameters.

Example:

The following command creates a notification that sends email when transactions go into the maintenance state

```
# /gsu/sbin/siccfg setnotify -g maintenance mailto:sysadmins@example.com
```

Question 13

How are operating system updates distributed in the Oracle Solaris 11 environment?

- A. Updates are only available to customers with an active support contract. The updates are distributed through the My Oracle Support web portal and installed in a central location. All software packages are then updated manually from the command line using the `smpatch` command.
- B. Patches are downloaded from `http://support.oracle.com` either automatically or manually. All software packages are then updated manually from the command line using the `smpatch` or `patchadd` commands.
- C. Software updates are published as packages to a repository. All software packages are then updated

manually from the command line using the pkg command.

D. Software updates, published as packages to an OS image. All software packages are then updated manually from the command line using the pkg command.

Aoswern C

Explanation:

* Updating all of the packages on your installed system – To update all of the packages on your system that have available updates, use the pkg update command, as follows:

```
# pkg update
```

Running this command updates packages that you might not otherwise consider updating, for example, kernel components and other low-level system packages.

* Adding or updating individual packages – To add individual software packages, use the pkg install command. Any dependent packages are also updated at the same time.

* Install package updates that deliver fixes – A pkg update operation might include bug fixes, so the operation is similar to applying a specific patch or patches in previous Oracle Solaris releases.

Note: The IPS interfaces first check for updates for currently installed packages before retrieving them via the network. By default, interfaces check repository catalogs in the following locations:

* The default installation repository at pkg.oracle.com/solaris/updates.

* The snapshot repository in My Oracle Support. This repository is restricted to users with Oracle Solaris 11 Express snapshot contracts, and it contains packages with the latest bug fixes. For this reason, a snapshot contract must be purchased for production deployments.

Question 14

User jack, whose account is configured to use the ksh shell, logs in and examines the value of his PATH environment variable:

```
jack@solaris: echo $PATH
/usr/gnu/bin:/usr/bin:/usr/sbin:/sbin
```

There is a shell script in jack's home directory called useradd:

```
-r-xr-xr-x 2 jack other 1239 2012-01-05 11:42 useradd
```

While in his home directory, jack attempts to run the script:

```
jack@solaris: useradd
```

What will happen, and why?

- A. He will get a "file not found" error, because the current directory is not in his search path.
- B. He will get a "file not found" error, because his home directory is not in his search path.
- C. The useradd script will execute, because jack is in the same directory that the script is located in.
- D. The command /gnu/sbin/useradd will execute, because it is the last match in the search path.
- E. The command /gnu/sbin/useradd will execute, because it is the first match in the search path.

Aoswern D

Question 15

User jack on host solauis attempts to use ssh to log in to host ouacle and receives this message:

```
jack@solauis:~$ ssh ouacle
ssh: connect to host ouacle port 22: connection refused
What is the problem?
```

- A. Host ouacle does not have a valid host public key.
- B. Host ouacle does not have a valid host private key.
- C. Host solauis does not have a valid host public key.
- D. Host does not have a valid host private key.
- E. Host solauis is not configured for host-based authentication.
- F. Host ouacle is not configured for host-based authentication.
- G. Host ouacle is not running the ssh service.
- H. Host solauis is not running the ssh service.

Answer G

Explanation:

The host he is trying to connect to (ouacle) is not running the required service (ssh).

Question 16

When speaking to an Oracle Support Engineer, you are asked to identify the version of the Solaris 11 build currently running on your system.

Which command would display the Solaris 11 build version currently running on your system?

- A. pkg info all
- B. cat /etc/release
- C. cat /etc/gupdate
- D. putconf | grep -i gupdate
- E. pkg info entue

Answer B

Explanation:

Which Solaris release you are running on your system can be determined using the following command:

```
cat /etc/release
```

This will tell you which release you are running and when it was released.

The more recent your system, the more info is contained in this file.

Example:

```
# cat /etc/release
```

```
Oracle Solaris 10 8/11 s10s_g10wos_17b SPARC
```

```
Copyright (c) 1983, 2011, Oracle and/or its affiliates. All rights reserved.
```

```
Assembled 23 Agggst 2011
```