

# Cisco 500-710 Video Infrastructure Implementation



## QUESTION & ANSWERS

# **Cisco**

## **500-710 Exam**

### **Cisco Video Infrastructure Implementation Exam**

## **Questions & Answers Demo**

# Version: 8.0

---

**Question: 1**

---

Which two administrative functions can a Cisco Spark Partner reseller perform from the Cisco Spark Management portal? (Choose two.)

- A. Quickly start customer trials.
- B. Determine Single Sign-On customer usage reports.
- C. Enable Single Sign-On and Directory sync through corporate LDAP services on-premises.
- D. Determine role-based access and view usage reports.
- E. Help to manage the customer accounts.

---

**Answer: AE**

---

---

**Question: 2**

---

Which two ports are used for SIP communications between an endpoint and the SIP server? (Choose two.)

- A. 1719 (TCP) B. 5061 (TLS)
- C. 1721 (TLS)
- D. 5060 (TCP)
- E. 1720 (TCP)

---

**Answer: BD**

---

---

**Question: 3**

---

Which statement about Microsoft Skype for Business interoperability with Cisco Meeting Server is true?

- A. Calls cannot be place between S4B and Cisco Meeting App users
- B. Local directories can always be used between S4B users and CMA
- C. Chat can be used between S4B and Cisco Meeting App users
- D. Chat can be used between S4B and Cisco Meeting Server Spaces

---

**Answer: B**

---

---

**Question: 4**

---

An engineer wants to only allow the registration of endpoints with aliases containing [cisco.com](https://www.cisco.com) as the domain. Which option accomplishes this task?

- A. Set the restriction policy to "Deny" and include the expression.\*@\*in the deny list.
- B. Set the restriction policy to "Allow" and include the expression\|@ [cisco.com](http://cisco.com) in the allow list.
- C. Set the restriction policy to "Allow" and include the expression. \*@cisco. com in the allow list.
- D. Set the restriction policy to "None" and include the expression \|@ [cisco.com](http://cisco.com) in the allow list.

---

**Answer: C**

---

---

### Question: 5

---

Which statement about the deployment of Cisco Conductor with Cisco Telepresence Server for Rendezvous Conferences is true?

- A. Conductor must be added to the TMS database.
- B. A SIP trunk must be established between Conductor and the TelePresence Server.
- C. A neighbor zone and search rules must be built between the Expressway and the Conductor.
- D. A neighbor zone and search rules must be built between the Expressway and TelePresence Server.

---

**Answer: C**

---

---

### Question: 6

---

Where in the TMS application does an engineer enter system license keys?

- A. Diagnostics
- B. Administrative Settings
- C. Maintenance
- D. General Settings

---

**Answer: D**

---

---

### Question: 7

---

Integrated Development Environment helps you to develop, test, and build an application. Which option is an IDE tool that can be used with Cisco Spark?

- A. GitHub
- B. OSX: Atom
- C. Windows: Notepad ++
- D. Linux: Brackets
- E. Pythonanywhere

---

**Answer: A**

---

---

### Question: 8

---

Which option is a possible source for TMS phone books?

- A. Active Messaging
- B. Gatekeeper
- C. System Network Directory
- D. Cisco Instant Message and Presence server

---

**Answer: C**

---

---

**Question: 9**

---

Which two statements about branding on the Cisco Meeting Server are true? (Choose two.)

- A. With a single branding license, nothing can be customized on the Cisco Meeting Server.
- B. With a single branding license, multiple logos and single background on single web bridge can be customized on the Cisco Meeting Server.
- C. With a single branding license, multiple logos and multiple backgrounds on multiple web bridges can be customized on the Cisco Meeting Server.
- D. With a single branding license, a single logo and single background on a single web bridge can be customized on the Cisco Meeting Server.
- E. With a single branding license, a single logo and single background on multiple web bridges can be customized on the Cisco Meeting Server.

---

**Answer: DE**

---

---

**Question: 10**

---

Which primary purpose of the traversal subzone is true?

- A. to apply bandwidth restrictions on traversal calls
- B. to enable firewall traversal between public and private endpoints
- C. to provide for mobile remote access for endpoints outside the network
- D. to encrypt traversal calls to neighbored Expressways

---

**Answer: B**

---