VMware

Exam Questions 2V0-21.19

Professional vSphere 6.7 Exam 2019

https://certificationstime.com/

NEW QUESTION 1

This error is generated when a vSphere administrator takes a VM snapshot:
An error occurred while taking a snapshot: Failed to quiesce the virtual machine What should the administrator investigate to determine the cause of the failure?
A. Check if the virtual machine is already running on snapshots.
B. Check if the virtual machine is in suspended state.
C. Check if VMware Tools is installed on virtual machine.
D. Check if the virtual machine has an ISO mounted.

Answer: C

NEW QUESTION 2

An administrator wants to ensure the VMs for two different departments are separated on a single broadcast domain. Which configuration fulfills this requirement?
A. PVLAN on Uplink Port
B. PVLAN on VMkernel Interface
C. PVLAN on VSS
D. PVLAN on VDS

Answer: D

NEW QUESTION 3

A vSphere Administrator wants to move a vCenter Server with an external Platform Services Controller from one SSO domain to another SSO domain. Which option in cmsso-util will achieve this?
A. domain-repoint
B. reconfigure
C. unregister
D. repoint

Answer: A

QUESTION 4

An administrator has an environment with these conditions and requirements:2V0-21.19 dumps exhibitThe host provides 6GHz of CPU and 32GB of memory
2V0-21.19 dumps exhibitThe host is shared between the Marketing and QA departments
2V0-21.19 dumps exhibitThe QA department needs a higher compute resource priority
How can the administrator meet the conditions and requirements?

A. Adjust NIOC or SIOC as appropriate to give the QA department a higher compute priority within the cluster.
B. Create a resource pool for each department and use the Shares attribute to prioritize the allocation of resource.
C. Assign affinity or anti-affinity rules to the appropriate VMs for each department.
D. Set the VM priority to high for QA department VMs and normal for Marketing department VMs.

Answer: B

QUESTION 5

Which two features should an administrator use to protect a VMware vCenter Server Appliance from host and hardware failures? (Choose two.)

A. VMware Distributed Power Management
B. vCenter High Availability
C. vSphere High Availability
D. vSphere Fault Tolerance
E. VMware vSphere Distributed Resource Scheduler

Answer: BD

QUESTION 6
What could cause a high %RDY value?

A. Incompatible network driver
B. memory fully allocated
C. too many vCPUs configured
D. disk latency greater than 2ms

Answer: C

QUESTION 7

A vSphere administrator creates a VM with 2 vCPUs and 4GB memory. A 3GB memory reservation is applied to the VM. What size is .vswp file when the VM is powered on?

A. 1GB
B. 2GB
C. 3GB
D. 4GB

Answer: A

Full Access

https://certificationstime.com/updated/2v0-21-19-exam-dumps-pdf/