



Visit and Download Full Version Certificationtime Exam Dumps  
<https://certificationtime.com/updated/300-115-exam-dumps-pdf/>



Cisco

300-115 Dumps

**SWITCH Implementing Cisco IP Switched Networks**

<https://certificationtime.com/>





### QUESTION 1

How to check the cause for an error disable in a interface after being connected? (Choose two.)

- A. show log
- B. show status (or show interface [interface] status)

Correct Answer: AB

### QUESTION 2

In regards to Cisco Virtual Switching System ,which technology is needed between two switches for them to act as one network element and share control information and data traffic?

- A. EtherChannel
- B. trunk
- C. Virtual Switch Link
- D. virtual port channel

Correct Answer: C

### QUESTION 3

Which two features are new in VTPv3? (Choose two)

- A. extended VLAN support
- B. support for token ring VLANs
- C. using multiple switches in the server role
- D. private VLAN propagation
- E. transparent mode

Correct Answer: AD

### QUESTION 4

Select and Place:

300-115 PDF Dumps | 300-115 Practice Test | 300-115 Study Guide 2 / 9

<https://www.lead4pass.com/300-115.html>

2021 Latest lead4pass 300-115 PDF and VCE dumps Download

Correct Answer:

Welcome to download the Newest CertificationsTime 300-115 dumps

<https://certificationtime.com/updated/300-115-exam-dumps-pdf/>

<https://certificationtime.com/updated/300-115-exam-dumps-pdf/>

### QUESTION 5

HSRP Ferris Plastics, Inc. is a medium sized company, with an enterprise network (access, distribution and core switches) that provides LAN connectivity from user PCs to corporate servers. The distribution switches are configured to use HSRP to provide a high availability solution.

-DSW1 -primary device for VLAN 101 VLAN 102 and VLAN 105

-DSW2 - primary device for VLAN 103 and VLAN 104

- A failure of GigabitEthernet1/0/1 on primary device should cause the primary device to release its status as the primary device, unless GigabitEthernet1/0/1 on backup device has also failed. Troubleshooting has identified several issues.

300-115 PDF Dumps | 300-115 Practice Test | 300-115 Study Guide 3 / 9

<https://www.lead4pass.com/300-115.html>

2021 Latest lead4pass 300-115 PDF and VCE dumps Download

Currently all interfaces are up. Using the running configurations and show commands, you have been asked to

investigate and respond to the following question.

During routine maintenance, it became necessary to shut down the GigabitEthernet1/0/1 interface on DSW1. All other

interfaces were up. During this time, DSW1 remained the active device for the VLAN 102 HSRP group.



You have

determined that there is an issue with the decrement value in the track command for the VLAN 102 HSRP group. What

needs to be done to make the group function properly?

- A. The decrement value on DSW1 should be greater than 5 and less than 15. 0
- B. The decrement value on DSW1 should be greater than 9 and less than 15.
- C. The decrement value on DSW1 should be greater than 11 and less than 19.
- D. The decrement value on DSWTs should be greater than 190 and less than 200.
- E. The decrement value on DSWTs should be greater than 195 and less than 205.

Correct Answer: C

Welcome to download the Newest CertificationTime 300-115 dumps

<https://certificationtime.com/updated/300-115-exam-dumps-pdf/>

<https://certificationtime.com/updated/300-115-exam-dumps-pdf/>

300-115 PDF Dumps | 300-115 Practice Test | 300-115 Study Guide 4 / 9

<https://www.lead4pass.com/300-115.html>

2021 Latest lead4pass 300-115 PDF and VCE dumps Download

Use "show run" command to show. The left Vlan102 is console1 of DS1. Priority value is 200, we should decrement

value in the track command from 11 to 18. Because  $200 - 11 = 189$

## Full Access

<https://certificationtime.com/updated/300-115-exam-dumps-pdf/>