




300-175 Dumps

DCUCI Implementing Cisco Data Center Unified Computing (DCUCI)

https://certificationstime.com/





Which of the following is true with respect to recovery from failure with automatic pinning that is configured on a cluster of Cisco Unified Computing System 62XX Fabric Interconnects?

- A. By default, server MAC addresses are pinned to uplink interfaces using PIN groups.
- B. When a northbound fabric interconnect link goes down, the affected servers will use NIC teaming to re-establish connectivity on the second fabric interconnect.
- C. When a northbound fabric interconnect link goes down, the fabric interconnect will send a gratuitous ARP to the northbound switch to announce the servers on the new port.
- D. In the event that all uplink ports on the fabric interconnect lose connectivity, the 22XX I/O module shuts down all of the host ports until at least one uplink is restored.

Answer: C

QUESTION 2

If there are four I/O module links from the Cisco Unified Computing System 5108 Blade Chassis to the Cisco Unified Computing System 6248UP Fabric Interconnect, which dynamic vNICs can be defined?

A. 9

B. 16

C. 24

D. 48

E. 54

F. 112

Answer: E

QUESTION 3

Which two statements are true concerning the role-based access control specifics of a Cisco Unified Computing System? (Choose two.)

- A. By default, user accounts expire after 90 days; a warning message will he generated 10 days prior to expiration.
- B. A locally authenticated user account is any user account that is authenticated through LDAP, RADIU

C. or TACACS+.

- D. A user that is assigned one or more roles will be allowed the privileges that are consistent across all of the assigned roles.
- E. All roles include read access to all configuration settings in the Cisco Unfiled Computing System domain.
- F. If a user maintains a local user account and a remote user account simultaneously, the roles that are defined in the local user account override those that are maintained in the remote user account.

Answer: DE

Explanation:

Reference:

https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/ucs-manager/GUI-User-Guides/AdminManagem

QUESTION 4

300-175 dumps exhibit

A. Mastered

B. Not Mastered

Answer: A

Explanation:

300-175 dumps exhibit

QUESTION 5

A service profile is created using vHBAs. What will happen if the profile is applied to a server with a mezzanine card without storage capability?

A. The blade association will fail.



- B. The storage adapter will not be visible to the operating system.
- C. A virtual storage adapter will be created.
- D. A WWNN or a WWPN will be autoselected from the default pool.

Answer: A

Explanation:

https://supportforums.cisco.com/t5/data-center-blogs/c-series-resolve-service-profile-association-failure-when/b https://www.cisco.com/en/US/docs/unified_computing/ucs/sw/gui/config/guide/141/UCSM_GUI_Configuration In addition to any guidelines or recommendations that are specific to policies and pools included in service profile templates, such as the local disk configuration policy, you need to be aware of the following guidelines and recommendations that impact the ability to associate a service profile with a server.

QUESTION 6

Refer to the exhibits.

300-175 dumps exhibit

The blade server has two HBAs. How many WWPN targets on VSAN 2001 are accessible to the blade server?

A. 1

B. 2

C. 3

D. 4

Answer: B

Full Access

https://certificationstime.com/updated/300-175-exam-dumps-pdf/