



Visit and Download Full Version Certificationtime Exam Dumps  
<https://certificationtime.com/updated/300-510-exam-dumps-pdf/>



**Cisco**

## **Exam Questions 300-510**

Implementing Cisco Service Provider Advanced Routing Solutions (SPRI)

<https://certificationtime.com/>





### Question: 1

Refer to the exhibit.

Which tree does multicast traffic follow?

- A. shared tree
- B. MDT default
- C. source tree
- D. MDT voice

Answer: B

### Question: 2

Refer to the exhibit.

<https://certificationtime.com/updated/300-510-exam-dumps-pdf/>

After you applied these configurations to routers R1 and R2, the two devices could not form a neighbor relationship. Which reason for the problem is the most likely?

- A. The two routers cannot authenticate with one another.
- B. The two routers have the same area ID.
- C. The two routers have the same network ID.
- D. The two routers have different IS-types.

Answer: C

### Question: 3

Refer to the exhibit.

Which effect of this configuration is true?

- A. It sets the keepalive timer to 30 seconds and the hold timer to 240 seconds.
- B. It sets the keepalive timer to 30 milliseconds and the hold timer to 240 milliseconds
- C. It sets the hold timer to 30 milliseconds and the keepalive timer to 240 milliseconds
- D. It sets the hold timer to 30 seconds and the keepalive timer to 240 seconds

Answer: A

Reference:

[https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/iproute\\_bgp/command/irg-cr-book/bgps1](https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/iproute_bgp/command/irg-cr-book/bgps1).

<https://certificationtime.com/updated/300-510-exam-dumps-pdf/html#wp1552800140>

### Question: 4

Refer to the exhibit.

A network operator is working to filter routes from being advertised that are covered under an aggregate announcement. The receiving router of the aggregate announcement block is still getting some of the more specific routes plus the aggregate. Which configuration change ensures that only the aggregate is announced now and in the future if other networks are to be added?

- A. Configure the summary-only keyword on the aggregate command
- B. Set each specific route in the AGGRO policy to drop instead of suppress-route
- C. Filter the routes on the receiving router
- D. Set each specific route in the AGGRO policy to remove instead of suppress-route

Answer: A

<https://certificationtime.com/updated/300-510-exam-dumps-pdf/>

### QUESTION 5

300-510 dumps exhibit

Refer to the exhibit. A network operator wants to expand the segment routing global block in upcoming maintenance. The operator must ensure that the changes to the segment routing global block have no adverse impacts on the prefix-sid associated with the loopback0 interface used within the OSPF domain. Which command can the operator use to enforce R2 to have a strict prefix-sid assignment to loopback0? A.

- A. A.300-510 dumps exhibitB.300-510 dumps exhibit
- B.300-510 dumps exhibit
- C.300-510 dumps exhibit

Answer: C

### QUESTION 6



300-510 dumps exhibit

Refer to the exhibit. Which router does R1 install as an alternate next hop when trying to reach R3 if LFA is enabled?

- A. R5
- B. R3
- C. R4
- D. R2

Answer: D

## Full Access

<https://certificationtime.com/updated/300-510-exam-dumps-pdf/>