



Exam Questions 300-730

Implementing Secure Solutions with Virtual Private Networks (SVPN)

https://certificationstime.com/





QUESTION 1

Refer to the exhibit. Which VPN technology is used in the exhibit?

A. DVTI

B. VTI

C. DMVPN

D. GRE

Correct Answer: B

Section: Secure Communications Architectures

Reference: https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/sec_conn_vpnips/configuration/zZ-Archive/IPsec Virtual Tunnel Interface.html#GUID-EB8C433B-2394-42B9-997F-B40803E58A91

QUESTION 2

Which VPN does VPN load balancing on the ASA support?

A. VTI

B. IPsec site-to-site tunnels

C. L2TP over IPsec

D. Cisco AnyConnect Correct **Answer: D**

Section: Secure Communications Architectures

QUESTION 3

Which parameter must match on all routers in a DMVPN

Phase 3 cloud?

A. GRE tunnel key

B. NHRP network ID

C. tunnel VRF

D. EIGRP split-horizon setting

Correct Answer: A

Section: Secure Communications Architectures

QUESTION 4

Which parameter is initially used to elect the primary key server from a group

of key servers?

A. code version

B. highest IP address

C. highest-priority value

D. lowest IP address

Correct Answer: C

Section: Secure Communications Architectures

Reference: https://www.cisco.com/c/en/us/products/collateral/security/group-encrypted-transport-

vpn/deployment guide c07 554713.html

QUESTION 5

A Cisco ASA is configured in active/standby mode. What is needed to ensure that Cisco AnyConnect users can connect after a failover event?

A. AnyConnect images must be uploaded to both failover ASA devices.

B. The vpnsession-db must be cleared manually.

C. Configure a backup server in the XML profile.

D. AnyConnect client must point to the standby IP address.

Correct Answer: A

Section: Secure Communications Architectures

Reference:

https://www.cisco.com/c/en/us/td/docs/security/asa/asa90/configuration/guide/asa 90 cli config/ha active standby.html



QUESTION 6

Which benefit of FlexVPN is a limitation of

DMVPN using IKEv1?

A. GRE encapsulation allows for forwarding of non-IP traffic.

B. IKE implementation can install routes in routing table.

C. NHRP authentication provides enhanced security.

D. Dynamic routing protocols can be configured.

Correct Answer: B

Section: Secure Communications Architectures

QUESTION 7

What is a requirement for smart tunnels to function properly?

A. Java or ActiveX must be enabled on the client machine.

B. Applications must be UDP.

C. Stateful failover must not be configured.

D. The user on the client machine must have admin access.

Correct Answer: A

Section: Secure Communications Architectures

Reference: https://www.cisco.com/c/en/us/support/docs/security/asa-5500-x-series-next-generation-firewalls/111007-smart-tunnel-

asa-00.html

Full Access

https://certificationstime.com/updated/300-730-exam-dumps-pdf/