


Visit and Download Full Version Certificationstime Exam Dumps https://certificationstime.com/updated/300-735-exam-dumps-pdf/



Cisco

Exam Questions 300-735

Automating and Programming Cisco Security Solutions (SAUTO) https://certificationstime.com/



Get Certified In First Attempt

visit - https://certificationstime.com/



Question 1

- Which description of synchronous calls to an API is true?
- A. They can be used only within single-threaded processes.
- B. They pause execution and wait for the response.
- C. They always successfully return within a fixed time.
- D. They can be used only forsmall requests.

Answer: B

Question 2

DRAG DROP

Drag and drop the code to complete the script to search Cisco ThreatGRID and return all public submission records associated with cisco.com. Not all options are used.

Answer:

Reference:

https://community.cisco.com/t5/endpoint-security/amp-threat-grid-api/m-p/3538319

Question 3

Refer to the exhibit.

What does the response from the API contain when this code is executed?

- A. error message and status code of 403
- B. newly created domains in Cisco Umbrella Investigate
- C. updated domains in Cisco Umbrella Investigate
- D. status and security details for the domains

Answer: D

Question 4

A security engineer attempts to query the Cisco Security Management appliance to retrieve details of a specific message. What must be added to the script to achieve the desired result?

- A. Add message ID information to the URL string as a URI.
- B. Run the script and parse through the returned data to find the desired message.
- C. Add message ID information to the URL string as a parameter.
- D. Add message ID information to the headers.

Answer: C

Question 5

A network operator must generate a daily flow report and learn how to act on or manipulate returned Data.

a. When the operator runsthe script, it returns an enormous amount of information.

Which two actions enable the operator to limit returned data? (Choose two.)

- A. Add recordLimit. followed by an integer (key:value) to the flow_data.
- B. Add a for loop at the end of the script, and print each key value pair separately.
- C. Add flowLimit, followed by an integer (key:value) to the flow_data.
- D. Change the startDateTime and endDateTime values to include smaller time intervals.

E. Change the startDate and endDate values to include smaller date intervals. Answer: AB

Question 6

Which API capability is available on Cisco Firepower devices?

- A. Firepower Management Center Sockets API
- B. Firepower Management Center eStreamer API
- C. Firepower Management Center Camera API
- D. Firepower Management Center Host Output API

Answer: B

Question7



DRAG DROP

Drag and drop the code to complete the script to search Cisco ThreatGRID and return all public submission records associated with cisco.com. Not all options are used.

Select and Place:

import request	ts				
API_KEY = 'asc	if1234asdf1234as	df1234'			
QUERY = '					
URL = 'https:/	//panacea.threat	grid.com/api/v2	27	1/	٦.
PARAMS={"q":QU	JERY, "api_key":A	PI_KEY}			
request = requ	uests.get(url=UR)	L, params=PARAM	IS)		
print(request.	.json)				
1	[]			Ĩ	
	submissions	public	query		
	cisco	search	cisco.com		
import request					
API_KEY = 'asc	df1234asdf1234as	df1234'			
QUERY = ' ci	sco.com '				
URL = 'https:/	//panacea.threat	grid.com/api/v2	/ search	/ submission	13 '
PARAMS={ "q":QU	JERY, "api_key":A	PI_KEY}			
request = requ	uests.get(url=UR)	L, params=PARAM	IS)		
print(request.	.json)				
	submissions	public		1	
		1990 CONTRACTOR (1990)	query		
	cisco	search	query cisco.com]	

Full Access https://certificationstime.com/updated/300-735-exam-dumps-pdf/

Get Certified In First Attempt

visit - https://certificationstime.com/