




# **Implementing Cisco Collaboration Applications (CLICA)**

https://certificationstime.com/





#### Question: 1

Which authentication method allows a user to log in to an SSO-enabled Cisco Unified Communications application by utilizing a Microsoft Windows login, thereby not requiring any credentials to be entered?

A. Smart Card

B. OAuth

C. form-based

D. Kerberos

Answer: B

Reference:

https://developer.cisco.com/docs/cisco-unified-communications-single-sign-on-tutorial/#!ciscounified-communications-single-sign-on-tutorial/learning-more-about-sso

#### Question: 2

When Cisco IM and Presence is configured to use automatic fallback, how long does the Server Recovery Manager service wait for a failed service/server to remain active before an automatic fallback is initiated?

A. 10 minutes

B. 20 minutes

C. 30 minutes

D. 1 hour

Answer: C

Reference:

https://www.cisco.com/c/en/us/support/docs/unified-communications/unified-communicationsmanager-im-presence-service/200958-IM-and-Presence-Server-High-Availability.html

#### **Question: 3**

Which entity is a standard component used for authentication by SAML 2.0?

A. identity provider

https://certificationstime.com/updated/300-810-exam-dumps-pdf/

B. session broker

C. Internet service provider

D. client access server

Answer: A

## Question: 4

DRAG DROP

Drag and drop the events for an on-premises Jabber SAML SSO flow from the left into the correct order on the right.

Answer:

#### **Question: 5**

Which two command line arguments can you specify when installing Cisco Jabber for windows?

(Choose two.)

A. CISCO UDS DOMAIN

https://certificationstime.com/updated/300-810-exam-dumps-pdf/

B. TFTP\_ADDRESS

C. VOICEMAIL\_SERVER\_ADDRESS

D. SERVICES\_DOMAIN

E. TFTP

Answer: DE Reference:

https://www.cisco.com/c/en/us/td/docs/voice\_ip\_comm/jabber/11\_0/

CJAB\_BK\_D657A25F\_00\_deployment-installation-guide-jabber110/CJAB\_BK\_D657A25F\_00\_deployment- installation-guide-jabber110 chapter 01100.html#JABW RF CE43EF4C 00



### **QUESTION 6**

An engineer is configuring DNS for service discovery in a jabber deployment for On-premises Clients. Which snippet will complete the SRV record name \_ tcp.example.com?

A. \_cisco\_uds

B. \_collab\_edge

C. \_xmpp. server

D. \_xmpp-client

Correct Answer: A

#### **QUESTION 7**

#### Refer to the exhibit.

A customer reports that after a network failure, all of the Cisco Jabber clients are not switched back to their home nodes. An engineer determines that the primary Cisco IMandP server is in Failed Over state. Which two actions should be performed to bring the system back to operational state and to prevent future occurrences? (Choose two.)

- A. Advise all users to re-login to their Jabber clients.
- B. Confirm that both IMandP servers are configured in the Presence Redundancy Group configuration pane.
- C. Perform a restart of the IMandP primary server to force fallback.
- D. Click the Fallback button in the Server Action pane.
- E. Set the Automatic Failover parameter in the Server Recovery Manager Service Parameters to the value True.

Correct Answer: BD

## **Full Access**

https://certificationstime.com/updated/300-810-exam-dumps-pdf/