



## Exam Questions 648-238

# Implementing Cisco Connected Physical Security 1 Exam (CCPS1) <a href="https://certificationstime.com/">https://certificationstime.com/</a>





Refer to the exhibit.

Which statement can be determined from the output shown?

A. This is the output from the show power inline command.

B. The connected device is an 802.af class 3 PoE camera.

C. The switch management IP address is 10.10.10.202.

D. The PoE device is connected to switch port 0.

Correct Answer: B

#### **QUESTION 2**

The Cisco Physical Security CPS-MSP-1RU-K9 platform can support which configuration of option cards?

A. 1 x CIVS-FC-1P

B. 2 x CIVS-ENC-8P

C. 2 x CIVS-ENC-16P

D. 1 x CIVS-FC-1P and 1 x CIVS-ENC-8P

Correct Answer: A

648-238 PDF Dumps | 648-238 VCE Dumps | 648-238 Study Guide 2 / 8

https://www.lead4pass.com/648-238.html

2021 Latest lead4pass 648-238 PDF and VCE dumps Download

#### **QUESTION 3**

Which statement best describes the physical and virtualized Cisco VSM 7 platforms that Cisco recommends?

A. Operations Manager must be deployed on a physical MSP server, media server can be deployed on physical MSP

servers and/or as virtual machines on Cisco UCS.

B. Media server must be deployed on physical MSP server(s), Operations Manager can be deployed on physical MSP

or as a virtual machine on Cisco UCS servers.

C. Cisco VSM deployments should be either on dedicated physical MSP servers or virtualized UCS servers, but not

Welcome to download the Newest CertificationsTime 648-238 dumps

https://certificationstime.com/updated/648-238-exam-dumps-pdf/

https://certificationstime.com/updated/648-238-exam-dumps-pdf/

both.

D. Cisco VSM is interchangeable and interoperable across physical MSP and virtualized Cisco UCS deployments and

can be mixed without additional configurations.

Correct Answer: D

#### **QUESTION 4**

When setting up a dual stream configuration, you should do which of the following?

- A. Configure the primary stream in VSOM and configure the secondary stream directly on the camera
- B. Configure the primary and secondary streams directly on the camera first before adding the camera to VSOM.
- C. Configure both the primary and secondary streams from VSOM.
- D. It does not matter, since streams can be configured on VSOM or on the camera.

Correct Answer: C

#### **QUESTION 5**

On a VSMS server, what is YaST used for?

A. To check the status of the RAID storage

- B. To configure the network settings
- C. To monitor the network performance
- D. To troubleshoot video stream errors

Correct Answer: B



What are the different view options in SASD?

A. Alert Centric view, Map Centric view, Camera Centric view, Video Centric view

648-238 PDF Dumps | 648-238 VCE Dumps | 648-238 Study Guide 3 / 8

https://www.lead4pass.com/648-238.html

2021 Latest lead4pass 648-238 PDF and VCE dumps Download

B. Map Centric view, Camera Centric view, Alarm Centric view

C. Map Centric view, Camera Centric view, Alarm Centric view, Event Centric view

D. SASD views are fully customizable and as such there is no predefined viewing option.

Welcome to download the Newest CertificationsTime 648-238 dumps

https://certificationstime.com/updated/648-238-exam-dumps-pdf/

https://certificationstime.com/updated/648-238-exam-dumps-pdf/

Correct Answer: A

### **Full Access**

https://certificationstime.com/updated/648-238-exam-dumps-pdf/